

Product Catalogue.

PT. Budi Darinawan Indonesia



Bakery & Confectionary Equipment

Oven . Mixer . Proofer . Bread slicer

Industrial Mixer.



EGG MIXER

MODEL	MS-B7
Volume	7 L
Kecepatan Mengaduk	0 - 780 RPM
Daya Listrik	300 W
Tegangan Listrik	220V/50Hz
Berat	22 Kg
Dimensi (mm)	410 x 250 x 425



AUTOMATIC COOKER MIXER

MODEL	MSM-MS6J-2YEF
Kapasitas	200 L
Suhu	+260c
Kecepatan Putaran	21 / 31 RPM
Daya Listrik	2.200 W
Berat	46 Kg
Dimensi (mm)	1.420 x 1.280 x 2.100



PLANETARY MIXER

MODEL	MS-B10	MS-B20	MS-B30
Volume	10 L	20 L	30 L
Kecepatan Mengaduk	110/360 RPM	105/180/408 RPM	105/180/408 RPM
Daya Listrik	450 W	750 W	750 W
Tegangan Listrik	220V/50Hz	220V/50Hz	220V/50Hz
Berat	56 Kg	73 Kg	118 Kg
Dimensi (mm)	450 x 360 x 630	520 x 400 x 840	500 x 430 x 850

MODEL	MS-B40	MS-B60	MS-B80
Volume	40 L	60 L	80 L
Kecepatan Mengaduk	-	-	-
Daya Listrik	1.130 W	2.200 W	3.200 w
Tegangan Listrik	220V/50Hz	380V/50 Hz	380V/50 Hz
Berat	178 Kg	334 Kg	364 Kg
Dimensi (mm)	650 x 650 x 1.070	880 x 600x 1.270	750 x 900 x 1.410

SPIRAL MIXER

MODEL	MS-J-15	MS-J-25
Kapasitas	≤15 Kg	≤25 Kg
Kecepatan Spiral	280/138 RPM	252/126 RPM
Daya Listrik	2.800 W	3.400 W
Tegangan Listrik	3N ~ 380V	3N ~ 380V
Berat	320 Kg	430 Kg
Dimensi (mm)	850 x 520 x 1.060	980 x 530 x 1.060

MODEL	MS-J-50	MS-J-75
Kapasitas	≤50 Kg	≤75 Kg
Kecepatan Spiral	216/108 RPM	210/102 RPM
Daya Listrik	5.000 W	8.000 W
Tegangan Listrik	3N ~ 380V	3N ~ 380V
Berat	550 Kg	800 Kg
Dimensi (mm)	1.110 x 710 x 1.060	1.500 x 900 x 1.470



Industrial Oven.



STANDARD GAS OVEN

MODEL	MS-W-20AZ	MS-W-40AZ	MS-W-60AZ
Konsumsi	0,72 Kg/jam LPG	1,44 Kg/jam LPG	2,16 Kg/jam LPG
Spesifikasi	1 Deck 2 Tray	2 Deck 4 Tray	3 Deck 6 Tray
Daya Listrik	100 W	200 W	300 W
Tegangan Listrik	220V	220V	220V
Dimensi (mm)	1.330 x 840 x 615	1.330 x 840 x 1.190	1.330 x 840 x 1.660

PIZZA OVEN

MODEL	MS-WP-10E	MS-WP-10G
Metode	Electric	Gas
Konsumsi	0,1 Kg/jam	0,5 Kg/jam
Spesifikasi	1 Deck 1 Tray	1 Deck 1 Tray
Daya Listrik	3.200 W	100 W
Tegangan Listrik	220V	220V
Dimensi (mm)	925 x 570 x 430	1.020 x 600 x 490



LUXURY OVEN



MODEL	MS-R-40H	MS-R-60H
Spesifikasi	2 deck,4 tray	3 deck,6 tray
Daya Listrik	120 W	180 W
Tegangan Listrik	220V/50Hz	220V/50Hz
Berat	420 Kg	660 Kg
Dimensi (mm)	1.480 x 1.120 x 1.640	1.480 x 1.120 x 1.830

MODEL	MS-R-120H	MS-R-40HF
Spesifikasi	3 deck,12 tray	2 deck, 4 tray &8 tray proofer
Daya Listrik	240 W	3.000 W
Tegangan Listrik	220V/50Hz	220V/50Hz
Berat	860 Kg	580 Kg
Dimensi (mm)	1.940 x 1.120x 1.830	1.480 x 1.120 x 1.970



CONVECTION OVEN



MODEL	MS-C-5Q	MS-C-8Q	MS-C-10Q
Spesifikasi	LPG Gas Heating	LPG Gas Heating	LPG Gas Heating
Frekuensi	50Hz	50Hz	50Hz
Daya Listrik	550 W	850 W	850 W
Tegangan Listrik	220V	220V	220V
Dimensi (mm)	1.170 x 900 x 730	1.170 x 900 x 1.500	1.170 x 900 x 1.687



HOT AIR ROTARY FURNACE

MODEL	MS0-12A	MSX-16C	MSX-32Q	MS0-64C
Spesifikasi	12 Tray	16 Tray	32 Tray	64 Tray
Ukuran Tray maksimum (mm)	460 x 720	460 x 720	460 x 720	460 x 720
Daya Listrik	1.900 W	3.100 W	3.300 W	3.800 W
Tegangan Listrik	380V/220V	380V	380V	380V
Berat	950 Kg	1.550 Kg	1.860 Kg	2.310 Kg
Dimensi (mm)	1.250 x 1.410 x 1.480	2.280 x 1.550 x 2.400	2.700 x 1.660 x 2.460	3.500 x 1.920 x 2.460


Salah satu keunggulan convection oven dibandingkan oven biasa adalah kemampuannya untuk mendistribusikan panas secara lebih merata. Convection oven memiliki kipas untuk mendistribusikan hawa panas ke seluruh bagian dalam oven.



TUNNEL FURNANCE



MODEL	MSS-1519D	MSS-1219D
Metode	Electric	Gas
Daya Listrik	11 kW/m	3-5 kW/m
Tegangan Listrik	380V	380V
Berat	650 Kg/m	600 Kg/m
Dimensi (mm)	19.000 x 1.980 x 1.600	19.000 x 1.660 x 1.600



Proofing Machine.



LUXURY PROOFER

MODEL	MS-F-16PS	MS-F-32PS
Spesifikasi	16 Tray	32 Tray
Daya Listrik	2.800 W	3.200 W
Tegangan Listrik	220V	220V
Berat	135 Kg	180 Kg
Dimensi (mm)	610 x 900 x 2.060	1.150 x 1.050 x 2.060



RETARDER PROOFER

MODEL	MS-F-16SC	MS-F-32SC
Suhu	+4°C ~ -5°C	+4°C ~ -5°C
Daya Listrik	2.500 W	2.500 W
Tegangan Listrik	220V	220V
Berat	232 Kg	298 Kg
Dimensi (mm)	900 x 1.100 x 2.200	1.220 x 900 x 2.200



STANDARD PROOFER

MODEL	MS-W-15P	MS-W-30P
Kapasitas Tray	15	30
Suhu	+36°C ~ +50°C	+36°C ~ +50°C
Daya Listrik	2.600 W	2.900 W
Tegangan Listrik	220V/50Hz	220V/50Hz
Berat	35 Kg	60 Kg
Dimensi (mm)	1.940 x 550 x 830	1.940 x 1.000 x 830



Other Confectionary Machine.



TOASTER MOULDER

MODEL	MS-Z-380
Spesifikasi	380 mm
Daya Listrik	750 W / 1.100 W
Tegangan Listrik	380V/220V
Berat	240 Kg
Dimensi (mm)	1.390 x 660 x 1.060



DOUGH SHEETER

MODEL	MS-YSN-520L
Diameter Roller (mm)	88 x 520
Jarak Roller (mm)	0 - 35
Daya Listrik	550 W
Tegangan Listrik	380V
Berat	190 Kg
Dimensi (mm)	610 x 900 x 2.060

DOUGH DIVIDER

MODEL	MS-YSN-Q30
Daya Listrik	750 W
Tegangan Listrik	380V per 3 fase
Berat	195 Kg
Dimensi (mm)	640 x 540 x 210



BREAD SLICER

MODEL	MS-P-31
Spesifikasi	31 pisau
Daya Listrik	750 W
Tegangan Listrik	220V/50Hz
Berat	52 Kg
Dimensi (mm)	780 x 690 x 780



AUTOMATIC ENCRUSTING CAKE MACHINE

MODEL	MSK-400B
Kapasitas	1000 - 1200 buah/jam
Kisaran Berat Product	20 ~ 200 g (continuously adjustable)
Rasio Peel dan Stuffing	2 : 8 (continuously adjustable)
Kapasitas Produksi	400 Kg
Daya Listrik Motor	2.500 W
Tegangan Listrik	380V/50Hz
Berat	800 Kg
Dimensi (mm)	1.120 x 550 x 1.300



AUTOMATIC FORMING MACHINE

MODEL	MSK-100XJ
Kecepatan Conveyor Belt	9 meter/menit
Diameter Cetakan	Ø 100 mm
Diameter RoundMaksimum	Ø 90 mm
Manufacturing Tac	25 - 70 buah/jam
Tekanan Air	0,6 MPa, 0,3 m3/menit
Daya Listrik Electromotor	500 W
Berat	300 Kg
Dimensi (mm)	1.540 x 610 x 144



AUTOMATIC RAW DISH MACHINE

MODEL	MSK-600
Pengaturan Kecepatan	25 - 70 buah/menit
Diameter Cetakan	Ø 100
Diameter Round Maksimum	615 x 415 x 60 mm
Applicable Product	42 - 188 gram
Daya Listrik	500 W fase tunggal, 220V
Berat	350 Kg
Dimensi (mm)	1.550 x 990 x 1.570



AUTOMATIC COOKIES MACHINE

MODEL	MS-189 (1 COLOR)
Kapasitas	20 - 30 Stroke/menit
Jumlah Pipa	8 - 10 pipa
Lebar Nampan Kue (mm)	400-460
Daya Listrik	2.000 W (VAC fase tunggal 50Hz)
Berat	400 Kg
Dimensi (mm)	1.500 x 1.000 x 1.400



FERMENTING ROOM

MODEL	MSF-192ZJ	MSF-256ZJ
Spesifikasi	6 Room, 192 Plates	8 Room, 256 Plates
Daya Listrik	7.200 W	9.100 W
Tegangan Listrik	380V	380V
Berat	68 Kg	78 Kg
Dimensi (mm)	900 x 290 x 1.680	1.220x 900 x 2.200



BREADLINE



MODEL	MS-1520BS
Kapasitas	1.000 - 1.200 buah/jam
Daya Listrik	5.260 W
Berat	1.070 Kg
Dimensi (mm)	7.380 x 1.100 x 1.690



Mesin Breadline adalah mesin pencetak roti dengan isi ditengahnya. Dapat digunakan untuk membuat roti tawar, pia, dan roti manis. Mesin ini dapat memproduksi roti dalam skala besar, dimana adonan diproses dengan pengontrolan yang baik dan dilengkapi dengan panel digital.



“Quality in a service or product is not what you put into it. It is what the client or customer gets out of it.”

Head Office

Ruko Edison Summarecon
Serpong No.EDSC 09.
Jl. Raya Boulevard Permata
Medang. Kec. Pagedangan
Tangerang - Banten 15334.

Workshop

Kp. Nagewer RT 001/002,
Suka Bakti, Kec. Curug,
Tangerang, Banten 15810

Contact us.



customerservice@bdindonesia.id



08111-379-984
Office (021) 55685558



[@Bdindonesia.id](https://www.instagram.com/Bdindonesia.id)